


# POLY BAG

# FILTER



### Applications:

- Powdercoating
- Lacquer
- Polyurethane
- Dust
- Paint

### Features:

- High particulate holding capacity
- Low air flow resistance
- Dual-density media
- 99% efficient on 10 micron particles
- Complies with UL Class II standards
- Available in self-gasketing frame or header frame
- Heavy duty construction
- Unaffected by mold or humidity
- Available with antimicrobial treatment

### Construction Options:

- Media without wire
- Media with wire
- Media with wire and header frame
- Single ply 1" poly media
- Dual density 1" poly media with strainer backing
- 2" poly media

## Performance Data

Item #	Common Name	Size	Static inches w.g.				Efficiency				
			CFM 100	CFM 1250	CFM 100	CFM 1250	1.5 Micron 5 Micron 10 Micron	Lacquers	Chromates	Powder coating	Dust
			Initial		Final						
FC20	Poly B Bag – 4P	20x20x12	.05	.12	.15	1.25	20% 80% 95%	80%	50%	50%	35%
FC45	Poly B Bag – 4P w/FT20 backing	20x20x12	.07	.21	.18	1.25	45% 96% 99%	96%	75%	90%	60%



## FLORENCE FILTER CORPORATION

*"Over 30 Years of Filter Excellence"*

[www.florencefilter.com](http://www.florencefilter.com)

530 W. Manville • Compton • California 90220  
(310) 637-1137 • FAX (310) 631-4323 • (800) 776-2021

9/10/04  
P136